


OUR PRODUCTS HAS BROADLY MARKETED IN 60 COUNTRIES AND REGIONS
ALL OVER THE WORLD



Canature HuaYu Environmental Products Co.,Ltd.



产品手册 CATALOG

Canature HuaYu Environmental Products Co.,Ltd.



江苏开能华宇环保设备有限公司
Canature HuaYu Environmental Products Co.,Ltd.

Quality Service Professional Focus

江苏开能华宇环保设备有限公司位于世界闻名环保之乡——高埭镇，是由原江苏华宇环保设备有限公司、江苏华宇杰明玻璃钢容器有限公司、迪拜杰明国际贸易公司与上海开能环保设备有限公司合作组建的水处理容器及配件专业生产企业，注册资本1500万，主要生产销售水处理设备及相关环保设备配件，包括玻璃钢罐、盐箱、加药箱、储水箱及布水器、过滤器、软水器、隔膜阀、控制器等。经过近二十年的发展，现已成为玻璃钢压力桶全系列产品的专业生产制造及销售企业。

公司在华东、华北、华南分别拥有江苏宜兴、河北廊坊、广东东莞三个生产基地，按客户的需要，分别生产不同系列的玻璃钢压力桶。目前已全面通过ISO9001质量管理体系认证，所生产的华宇牌玻璃钢罐获得了省高新技术产品称号，拥有十多项专利技术，并已通过美国NSF、欧盟CE等多项安全及环保认证，产品在满足国内市场的同时，还出口至全球五大洲。

随着与上海开能环保的合作，我们将依托开能的强大品牌、研发、资金实力，凭借江苏华宇的产品制造、运营成本、地域覆盖、销售整合优势，在现有产品基础上不断推出覆盖民用、商用、工业净水乃至污水处理新技术新设备，继续发扬“品质、服务、专业、专心”的华宇精神，以质量赢得市场，以诚信铸就品牌，更好的为客户服务。

Canature Huayu Environmental Products Co.,Ltd is located in Gaocheng Town which is famous for its industry of environment protection by all over the world. We are a professional water treatment products manufacturer which is incorporated by Huayu Environmental Products Co.,Ltd, Huayu Jieming FRP Vessels Co.,Ltd,Dubai Jieming International Trading Company, and Shanghai Canature Environmental Products Co.,Ltd. Our registered capital is 15 millions RMB. We are specializing in water treatment equipment and related accessories, including FRP tank, brine tank, dosing tank, water storage tank, water distributor, water filter, water softener, diaphragm valve, controller etc. With 20 years' development, we have been engaged in production, manufacture and marketing of whole series of FRP pressure tank.

Company owns 3 factories which are located in Yixing (Eastern China), Langfang (Northern China) and Dongguan(Southern China) and manufactures different series of FRP tank according to customer's requirements. Our company has passed ISO9001, And HuaYu brand FRP tanks have earned more than 10 patents, the provincial award of high-tech and have passed NSF and CE certification. While based upon domestic market, our products are widely sold to the whole world etc.

We will promote new technology and equipment used in residential, commercial and industrial purification field, even in sewage treatment field continually based on existing product by relying on Shanghai Canature's strong strength in brand, R&D and capital and Jiangsu Huayu's integration advantage of manufacturing, operation cost, region coverage and marketing. We will continue to develop our spirit of quality, service, profession and focus to occupy the market by quality, establish our brand by integrity and offer better customer service.



ISO9001质量管理体系认证
ISO9001:2008



欧盟CE认证
CE Certification



美国NSF认证
NSF Certification



高新技术产品认定证书
National High-tech Product



高新技术企业
National High-tech Enterprise



涉水卫生许可批件
National Hygienic Permit



华宇牌玻璃钢水处理罐体生产线

公司现有全自动高效中空吹塑机4台、三工位滚塑机4台，全自动多工位缠绕机8台，注塑机10余台，可实现直径6-30英寸罐体年产50万只，直径36-83英寸罐体年产8万只，总产能可达到2亿元。

6-83英寸全系列玻璃钢水处理罐现有不同型号80余种，所有产品均按照国际标准制造，并且已经通过NSF及CE认证。除了制造华宇品牌外，我们还可以为客户提供OEM服务。

HUAYU FRP PRESSURE TANK WORKSHOP

Now we have four sets of Automatic High-efficiency Hollow Blowing Machine, four sets of Three-positions Rotational Machine, Eight sets of Automatic Multi-position Winding Machine and more than Ten sets of Injection Molding Machine. With these machines, we can produce 500 thousand pieces FRP tanks from diameter 6 to 30 inches , 80 thousand pieces FRP tanks from diameter 36 to 83 inches per year. The total capacity can reach 200million RMB.

We have over 80 different sizes of pressure tanks from diameter 6 to 83 inch, all the products are made and tested according to international standard which have passed NSF and CE certification. We manufacture not only for our HuaYu brand, but also offer OEM service for our customers.



华宇牌玻璃钢水处理罐体 HuaYu FRP Pressure Tanks



- 一体成型PE内胆，高性能复合材料缠绕外壳。
- 直径6-72英寸全系列玻璃钢水处理罐体共80余种型号供您选择。
- 可选颜色有本色、蓝色、黑色、灰色和其他定制颜色。
- 全面通过美国NSF、欧盟CE认证。
- PE liner with FRP filament winding, high quality but competitive cost.
- Full choice of pressure tanks from 6"-72" in diameter and from 13"-110" in height.
- Available in natural, blue, black, gray and any other colors on request.
- NSF and CE certified.

品质 服务 专业 专心
 Quality Service Professional Focus

技术参数

- 工作压力: 10.5Bar (150psi)
- 工作温度: 1-49°C (34-120°F)
- 最大真空度: 127mm Hg (5" Hg)
- 最低储运温度: -27°C (-17°F)

Operating Specifications

- Operating Pressure: 150 psi (10.5 Bar)
- Operating Temperature: 34-120°F(1-49°C)
- Max Vacuum : 5" Hg(127mm Hg)
- Lowest exposed Temperature : -17°F(-27°C)





测试参数

- 10万次的0-150psi的疲劳循环测试
- 4倍(600psi)的爆破压力测试

Testing parameters

- Exceed 100,000 times of cycle test from 0-150psi with standing pressure.
- Burst test to 4 times(600psi) of its operating pressure.

简图 Diagrams



HY-S小罐系列规格表HY-S TANK SPECIFICATION

型号 Model	罐体尺寸 Vessel Size		容积 Vol	罐开口 Opening		详细尺寸 Dimension/mm				底座 Base
	inch	mm		上 Top	下 Bot.	LA	LB	LC	D	
0613/2.5T	6×13	155×335	4.6	2.5"NPSM	/	335	330	/	155	PP Round
0617/2.5T	6×17	155×440	6.6	2.5"NPSM	/	440	435	/	155	PP Round
0635/2.5T	6×35	155×895	13.7	2.5"NPSM	/	895	890	/	155	PP Round
0713/2.5T	7×13	181×335	6.3	2.5"NPSM	/	335	330	/	181	PP Round
0717/2.5T	7×17	181×440	8.5	2.5"NPSM	/	440	435	/	181	PP Round
0735/2.5T	7×35	181×895	19.1	2.5"NPSM	/	895	890	/	181	PP Round
0744/2.5T	7×44	181×1125	24.3	2.5"NPSM	/	1125	1120	/	181	PP Round
0813/2.5T	8×13	205×335	7.4	2.5"NPSM	/	335	330	/	205	PP Round
0817/2.5T	8×17	205×440	10.5	2.5"NPSM	/	440	433	/	205	PP Round
0835/2.5T	8×35	205×895	23.6	2.5"NPSM	/	895	888	/	205	PP Round
0844/2.5T	8×44	205×1125	31.3	2.5"NPSM	/	1125	1118	/	205	PP Round
0917/2.5T	9×17	232×440	13.2	2.5"NPSM	/	440	435	/	232	PP Round
0935/2.5T	9×35	232×898	31.6	2.5"NPSM	/	898	890	/	232	PP Round
0942/2.5T	9×42	232×1074	38.5	2.5"NPSM	/	1074	1067	/	232	PP Round
0948/2.5T	9×48	232×1228	44.6	2.5"NPSM	/	1228	1221	/	232	PP Round
1017/2.5T	10×17	257×450	16.5	2.5"NPSM	/	450	430	/	257	PP Round
1035/2.5T	10×35	257×910	38.3	2.5"NPSM	/	910	890	/	257	PP Round
1044/2.5T	10×44	257×1130	49.5	2.5"NPSM	/	1130	1114	/	257	PP Round
1054/2.5T	10×54	257×1388	61.9	2.5"NPSM	/	1388	1370	/	257	PP Round
1248/2.5T	12×48	307×1220	77.3	2.5"NPSM	/	1220	1214	/	307	PP Round
1252/2.5T	12×52	307×1335	84.8	2.5"NPSM	/	1335	1328	/	307	PP Round
1265/2.5T	12×65	307×1650	106.3	2.5"NPSM	/	1650	1640	/	307	PP Round
1344/2.5T	13×44	334×1135	82.9	2.5"NPSM	/	1135	1127	/	334	PP Round
1354/2.5T	13×54	334×1400	103.6	2.5"NPSM	/	1400	1392	/	334	PP Round
1465/2.5T	14×65	360×1662	145.6	2.5"NPSM	/	1662	1654	/	360	PP Round
1465/4T	14×65	360×1662	145.6	4"-8UN	/	1662	1654	/	360	PP Round
1665/2.5T	16×65	410×1670	187.7	2.5"NPSM	/	1670	1662	/	410	PP Round
1665/4T	16×65	410×1670	187.7	4"-8UN	/	1670	1662	/	410	PP Round
1665/4T4B	16×65	410×1830	187.7	4"-8UN	4"-8UN	1830	1650	180	410	FRP Tripod
1865/4T	18×65	465×1670	249	4"-8UN	/	1670	1660	/	465	FRP Round
1865/4T4B	18×65	465×1830	249	4"-8UN	4"-8UN	1830	1650	180	465	FRP Tripod

注：★因PE材料收缩系数，可导致实际尺寸有±1.2%左右的误差
The actual dimmension may have ± 1.2% error due to PE materials contraction coefficient

HY 大罐系列规格表HY TANK SPECIFICATION

型号 Model	罐体尺寸 Vessel Size		容积 Vol	罐开口 Opening		详细尺寸 Dimension/mm				底座 Base
	inch	mm		上 Top	下 Bot.	LA	LB	LC	D	
2165/4T	21×65	550×1640	322	4"-8UN	/	1640	1590	/	550	圆形 FRP Round
2169/4T	21×69	550×1750	322	4"-8UN	/	1760	1590	/	550	三脚 FRP Tripod
2169/4T4B	21×69	550×1750	322	4"-8UN	4"-8UN	1760	1575	185	550	三脚 FRP Tripod
2176/4T	21×76	550×1910	326	4"-8UN	/	1910	1600	320	550	三脚 FRP Tripod
2176/4T4B	21×76	550×1910	326	4"-8UN	4"-8UN	1910	1590	320	550	三脚 FRP Tripod
2468/4T	24×68	615×1735	427	4"-8UN	/	1735	1690	/	615	圆形 FRP Round
2472/4T	24×72	615×1850	427	4"-8UN	/	1850	1690	/	615	三脚 FRP Tripod
2472/4T4B	24×72	615×1850	427	4"-8UN	4"-8UN	1850	1680	170	615	三脚 FRP Tripod
2485/4T	24×85	615×2150	471	4"-8UN	/	2150	1830	/	615	三脚 FRP Tripod
2485/4T4B	24×85	615×2150	471	4"-8UN	4"-8UN	2150	1830	320	615	三脚 FRP Tripod
3068/4T	30×68	780×1730	690	4"-8UN	/	1730	1690	/	780	圆形 FRP Round
3072/4T	30×72	780×1850	690	4"-8UN	/	1850	1690	/	780	三脚 FRP Tripod
3072/4T4B	30×72	780×1850	690	4"-8UN	4"-8UN	1850	1680	175	780	三脚 FRP Tripod
3085/4T	30×85	780×2150	758	4"-8UN	/	2150	1830	/	780	三脚 FRP Tripod
3085/4T4B	30×85	780×2150	758	4"-8UN	4"-8UN	2150	1830	320	780	三脚 FRP Tripod
3087/6T6B	30×87	780×2200	728	6"-flange	6"-flange	2200	1935	265	780	三脚 FRP Tripod
3672/4T4B	36×72	918×1850	850	4"-8UN	4"-8UN	1850	1610	240	918	三脚 FRP Tripod
3685/4T4B	36×85	918×2150	1023	4"-8UN	4"-8UN	2150	1830	320	918	三脚 FRP Tripod
3689/6T6B	36×89	918×2260	1023	6"-flange	6"-flange	2260	1940	320	918	三脚 FRP Tripod
3694/6T6B	36×94	918×2400	1205	6"-flange	6"-flange	2400	2140	260	918	三脚 FRP Tripod
4072/4T4B	40×72	1020×1850	1046	4"-8UN	4"-8UN	1850	1605	245	1020	三脚 FRP Tripod
4094/6T6B	40×94	1020×2400	1332	6"-flange	6"-flange	2400	2155	225	1020	三脚 FRP Tripod
4272/6T6B	42×72	1088×1850	1100	6"-flange	6"-flange	1850	1615	235	1088	三脚 FRP Tripod
4289/6T6B	42×89	1088×2270	1389	6"-flange	6"-flange	2270	1950	320	1088	三脚 FRP Tripod
4872/6T6B	48×72	1218×1850	1308	6"-flange	6"-flange	1850	1565	285	1218	三脚 FRP Tripod
4889/6T6B	48×89	1218×2270	1743	6"-flange	6"-flange	2270	1950	320	1218	三脚 FRP Tripod
4894/6T6B	48×94	1218×2400	1909	6"-flange	6"-flange	2400	2110	290	1218	三脚 FRP Tripod
48110/6T6B	48×110	1218×2800	2306	6"-flange	6"-flange	2800	2510	290	1218	三脚 FRP Tripod

注：★因PE材料收缩系数，可导致实际尺寸有±1.2%左右的误差
The actual dimmension may have ± 1.2% error due to PE materials contraction coefficient

型号 Model	罐体尺寸 Vessel Size		容积 Vol	罐开口 Opening		详细尺寸 Dimension/mm				底座 Base
	inch	mm		上Top	下 Bot.	LA	LB	LC	D	
6094/6T6B	60×94	1530×2400	2688	6"-flange	6"-flange	2400	2110	290	1530	三脚 FRP Tripod
60110/6T6B	60×110	1530×2800	3392	6"-flange	6"-flange	2800	2510	290	1530	三脚 FRP Tripod
6383/6T6B	63×83	1620×2100	2580	6"-flange	6"-flange	2100	1780	320	1620	三脚 FRP Tripod
6394/6T6B	63×94	1620×2400	3150	6"-flange	6"-flange	2400	2080	320	1620	三脚 FRP Tripod
★7294/6T6B	★72×94	1836×2400	3561	6"-flange	6"-flange	2400	2045	355	1836	三脚 FRP Tripod

注：★因PE材料收缩系数，可导致实际尺寸有±1.2%左右的误差
The actual dimmension may have ± 1.2% error due to PE materials contraction coefficient

HY-H大罐系列规格表 HY-H TANK SPECIFICATION

型号 Model	罐体尺寸 Vessel Size		容积 Vol	罐开口 Opening		详细尺寸 Dimension/mm				底座 Base
	inch	mm		上Top	下 Bot.	LA	LB	LC	D	
H2162/4T-R	21×62	550×1650	326	4"-8UN	/	1650	1600	/	550	圆形 FRP Round
H2162/4T	21×62	550×1910	326	4"-8UN	/	1910	1600	/	550	三脚 FRP Tripod
H2162/4T4B	21×62	550×1910	326	4"-8UN	4"-8UN	1910	1590	320	550	三脚 FRP Tripod
H2472/4T-R	24×72	615×1890	471	4"-8UN	/	1890	1839	/	615	圆形 FRP Round
H2472/4T	24×72	615×2150	471	4"-8UN	/	2150	1839	/	615	三脚 FRP Tripod
H2472/4T4B	24×72	615×2150	471	4"-8UN	4"-8UN	2150	1830	320	615	三脚 FRP Tripod
H3072/4T-R	30×72	780×1860	758	4"-8UN	/	1860	1839	/	780	圆形 FRP Round
H3072/4T	30×72	780×2150	758	4"-8UN	/	2150	1830	/	780	三脚 FRP Tripod
H3072/4T4B	30×72	780×2150	758	4"-8UN	4"-8UN	2150	1830	320	780	三脚 FRP Tripod
H3672/4T4B	36×72	918×2150	1023	4"-8UN	4"-8UN	2150	1830	320	918	三脚 FRP Tripod
H3672/6T6B	36×72	918×2260	1023	6"-flange	6"-flange	2260	1940	320	918	三脚 FRP Tripod
H4272/6T6B	42×72	1088×2270	1389	6"-flange	6"-flange	2270	1950	320	1088	三脚 FRP Tripod
H4872/6T6B	48×72	1218×2270	1743	6"-flange	6"-flange	2270	1950	320	1218	三脚 FRP Tripod
H6370/6T6B	63×70	1620×1780	2580	6"-flange	6"-flange	2100	1780	320	1620	三脚 FRP Tripod
H6383/6T6B	63×83	1620×2080	3150	6"-flange	6"-flange	2400	2080	320	1620	三脚 FRP Tripod

注：★因PE材料收缩系数，可导致实际尺寸有±1.2%左右的误差
The actual dimmension may have ± 1.2% error due to PE materials contraction coefficient

一体成型 PE 内胆带卸料口罐体 One-piece PE liner tank with discharge port



产品优势

相较于普通PE内胆罐体，填料卸出更方便；
相较于手糊卸料口罐体，品质更稳定，卫生状况更好。

Product Advantage

It is easier to discharge filling compared with normal PE liner tank;
Compared with tank with hand layup molding discharge port, it is more stable in quality and better in sanitary condition.

HY-D大罐系列规格表 HY-D TANK SPECIFICATION

型号 Model	罐体尺寸 Vessel Size		容积 Vol	罐开口 Opening			详细尺寸 Dimension/mm				底座 Base
	inch	mm		上Top	下 Bot.	卸 Dis.	LA	LB	LC	D	
4272/6T6B4D	42×72	1088×1850	1100	6"-flange	6"-flange	4"-flange	1850	1615	235	1088	三脚 FRP Tripod
4289/6T6B4D	42×89	1088×2270	1389	6"-flange	6"-flange	4"-flange	2270	1950	320	1088	三脚 FRP Tripod
4872/6T6B4D	48×72	1218×1850	1308	6"-flange	6"-flange	4"-flange	1850	1565	285	1218	三脚 FRP Tripod
4889/6T6B4D	48×89	1218×2270	1743	6"-flange	6"-flange	4"-flange	2270	1950	320	1218	三脚 FRP Tripod
4894/6T6B4D	48×94	1218×2400	1909	6"-flange	6"-flange	4"-flange	2400	2110	290	1218	三脚 FRP Tripod
48110/6T6B4D	48×110	1218×2800	2360	6"-flange	6"-flange	4"-flange	2800	2510	290	1218	三脚 FRP Tripod
6094/6T6B4D	60×94	1530×2400	2688	6"-flange	6"-flange	4"-flange	2400	2110	290	1530	三脚 FRP Tripod
60110/6T6B4D	60×110	1530×2800	3392	6"-flange	6"-flange	4"-flange	2800	2510	290	1530	三脚 FRP Tripod
6383/6T6B4D	63×83	1620×2100	2580	6"-flange	6"-flange	4"-flange	2100	1780	320	1620	三脚 FRP Tripod
6394/6T6B4D	63×94	1620×2400	3150	6"-flange	6"-flange	4"-flange	2400	2080	320	1620	三脚 FRP Tripod
★7294/6T6B6D	72×94	1836×2400	3561	6"-flange	6"-flange	6"-flange	2400	2045	355	1836	三脚 FRP Tripod
H4272/6T6B4D	42×72	1080×2270	1389	6"-flange	6"-flange	4"-flange	2270	1950	320	1088	三脚 FRP Tripod
H4872/6T6B4D	48×72	1218×2270	1743	6"-flange	6"-flange	4"-flange	2270	1950	320	1218	三脚 FRP Tripod
H6370/6T6B4D	63×70	1620×1780	2580	6"-flange	6"-flange	4"-flange	2100	1780	320	1620	三脚 FRP Tripod
H6382/6T6B4D	63×82	1620×2080	3150	6"-flange	6"-flange	4"-flange	2400	2080	320	1620	三脚 FRP Tripod

注：★因PE材料收缩系数，可导致实际尺寸有±1.2%左右的误差
The actual dimmension may have ± 1.2% error due to PE materials contraction coefficient